



Parts for All Brands



865.344.3088



## Tecumseh Engine Intake and Exhaust Valve Clearances



### Tecumseh Engine Intake and Exhaust Valve Clearances

Standard point ignition: points and ignition coil under flywheel. Solid state and external ignition: Ignition coil outside flywheel, points ( if present ) under flywheel. Solid state: Solid state ignition coil outside flywheel ( no points ).

MowerPartsZone.com can help you with all of your Tecumseh Engine parts needs. Call us today for assistance at 865.235.1799.

Engine Type	Ignition Type	Model Series	Intake and Exhaust Valve Clearance min / max ( in. ) min / max ( mm )
4-stroke L-head	STANDARD POINT IGNITION	LAV25, LAV30, TVS75 ( 8/1987 & earlier )	.004 / .008 .102 / .203
4-stroke L-head	STANDARD POINT IGNITION	H25, H30 ( 1982 & earlier )	.004 / .008 .102 / .203
4-stroke L-head	STANDARD POINT IGNITION	H30 ( 1983 Serial No. )	.004 / .008 .102 / .203

4-stroke L-head	STANDARD POINT IGNITION	LAV35, H35 ( 1982 & earlier )	.004 / .008 .102 / .203
4-stroke L-head	STANDARD POINT IGNITION	H35 ( 1983 Serial No. )	.004 / .008 .102 / .203
4-stroke L-head	STANDARD POINT IGNITION	ECV100	.004 / .008 .102 / .203
4-stroke L-head	STANDARD POINT IGNITION	TNT100	.004 / .008 .102 / .203
4-stroke L-head	STANDARD POINT IGNITION	V40-V40B, VH40, H40, HH40	.004 / .008 .102 / .203
4-stroke L-head	STANDARD POINT IGNITION	LAV40, TVS105, HS40, TVXL105	.004 / .008 .102 / .203
4-stroke L-head	STANDARD POINT IGNITION	ECV105	.004 / .008 .102 / .203
4-stroke L-head	STANDARD POINT IGNITION	ECV110	.004 / .008 .102 / .203
4-stroke L-head	STANDARD POINT IGNITION	LAV50, TVS120, HS50	.004 / .010 .102 / .254
4-stroke L-head	STANDARD POINT IGNITION	TNT 120, ECV120	.004 / .010 .102 / .254
4-stroke L-head	STANDARD POINT IGNITION	V50, VH50, TVM125, H50, HH50	.008 / .012 .203 / .305
4-stroke L-head	STANDARD POINT IGNITION	V60, VH60, TVM140, H60, HH60	.008 / .012 .203 / .305
4-stroke L-head	STANDARD POINT IGNITION	V70, VH70, VM70, H70, HH70	.008 / .012 .203 / .305
4-stroke L-head	STANDARD POINT IGNITION	TVM170, HM70	.008 / .012 .203 / .305
4-stroke L-head	STANDARD POINT IGNITION	V80, VM80, H70, HM80	.008 / .012 .203 / .305
4-stroke L-head	STANDARD POINT IGNITION	VM80, TVM195, HM80, HHM80	.008 / .012 .203 / .305
4-stroke L-head	STANDARD POINT IGNITION	VM100, HM100	.008 / .012 .203 / .305
4-stroke L-head	STANDARD POINT IGNITION	TVM220, HM100	.008 / .012 .203 / .305
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	TVS75 ( 8 / 87 & earlier )	.004 / .008 .102 / .203
		TVS90	

4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION		.004 / .008 .102 / .203
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	H35	.004 / .008 .102 / .203
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	V40, TVS105, HS40	.004 / .008 .102 / .203
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	TVS100, ECV100, TNT100	.004 / .008 .102 / .203
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	TVS/ TVXL115 57000 Series Only	.004 / .008 .102 / .203
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	LEV115, TVS105 56000 Series	.004 / .008 .102 / .203
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	TVS/TVXL 115, 57000 A & later	.004 / .008 .102 / .203
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	TVS120 J & later	.004 / .008 .102 / .203
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	HS50 H & later	.004 / .008 .102 / .203
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	HSSK N & later	.004 / .008 .102 / .203
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	LAV50, TVS120, HS50 G & earlier	.004 / .008 .102 / .203
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	HSSK50 M & earlier	.004 / .008 .102 / .203
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	VH50, TVM125, H50, HH50	.008 / .012 .203 / .305
4-stroke L-head		LEV80	.004 / .008 .102 / .203

	SOLID STATE AND EXTERNAL IGNITION		
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	LEV100	.004 / .008 .102 / .203
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	LEV115	.004 / .008 .102 / .203
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	LEV120	.004 / .008 .102 / .203
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	HSK60, VH60, TVM140, H60, HH60	.008 / .012 .203 / .305
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	V70, VH70,H70, HSK70, HH70, TVM170 (E) MODEL	.008 / .012 .203 / .305
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	HM70 (Models ending in C)	.008 / .012 .203 / .305
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	HM70 (Models ending in D)	.008 / .012 .203 / .305
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	TVM170 Models ( F & UP ), HM70 Models (E & up)	.008 / .012 .203 / .305
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	HMSK80, VM80, TVM195 (A-K), HM80	.008 / .012 .203 / .305
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	HM80, TVM195 (L & up), TVXL195	.008 / .012 .203 / .305
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	TVM220 (A-F), HM100	.008 / .012 .203 / .305
4-stroke L-head	SOLID STATE AND EXTERNAL IGNITION	HMSK100, TVM220 (G & up), TVXL220, HM100	.008 / .012 .203 / .305
4-stroke OHV	SOLID STATE	OVRM40	.004 .1016

4-stroke OHV	SOLID STATE	OVRM50-6.75, OVRM105	.004 .1016
4-stroke OHV	SOLID STATE	OVRM120	.004 .1016
4-stroke OHV	SOLID STATE	OHH50,OHSK50	.004 .1016
4-stroke OHV	SOLID STATE	OHH55 - 70,OHSK55 - 70	.004 .1016
4-stroke OHV	SOLID STATE	OHSK80 - 110	.004 .1016
4-stroke OHV	SOLID STATE	OHM, OHSK, OVM, OVXL120,130, & OHV11-13	.004 .1016
4-stroke OHV	SOLID STATE	OHV13.5 - 17	.004 .1016
4-stroke OHV	SOLID STATE	OH318SA/OH358SA	.004 .1016
4-stroke OHV	SOLID STATE	OH195SA/OH195SP	.004 .1016
4-stroke OHV	SOLID STATE	LH318SA/LH358SA	.008 / .012 .203 / .305
4-stroke OHV	SOLID STATE	LH195SA/LH195SP	.004 / .008 .102 / .203
4-stroke OHV	SOLID STATE	OV691EA/VTX/TVT691	.004 .102

## Download PDF (Free)

Download & Share Your Files With PDF Leader.